



8202HA Series

120V-60Hz

Catalog #:		Type
Project:		Date
Prepared by:		

4" IC Airtight Housing - LED and Incandescent Trims



DESCRIPTION

This 8202HA Series airtight aluminum housing is insulation contact rated. The housing is suitable for new construction in both residential and commercial applications. Features thermal protection and captive, adjustable bars for easy installation.

DESIGN FEATURES

Electrical

- 120V - 60 Hz
- LED Trims - Maximum 12W
- Incandescent Trims - 50W Max (35W with cellulose type insulation)
- Thermally protected against improper lamping

Housing

- Sturdy aluminum construction
- Suitable for use in new construction applications
- 5-7/8" overall height allows use in 2" x 6" joist construction
- J-box is listed for through-branch circuit wiring (4in – 4out), with seven 1/2" knockouts
- 3-port quick connectors pre-installed in all J-boxes
- Heavy gauge captive bar hangers included for ceiling joist or suspended "T" construction
- Bar hangers are adjustable to 24" with 4 captive nails included
- Adjusts to fit up to 1" ceiling thickness

Available Trims

- LED Trims: 8722, 8723, 8739, 8753-30, 8756, 8761, 8763, 8764, 8765, 8766, 8767, 8768, 8769, 8770, 8771, 8773
- Incandescent Trims: 8701, 8702

Dimensions

- 5-7/8" H x 8" L x 5-3/4" W
- Opening: 4-1/4"

Certifications

- cETLus listed for damp location (wet trims available)
- IC Rated for direct contact with batt type fiberglass insulation
- Housing & Other Components: 1 Year Limited Warranty
- LED Lamps: 5 Year Limited Warranty

ORDERING GUIDE

Example: 8202HA

Model #
8202HA
8202HA (order trims separately)



TEL: 800.937.6925 | Fax: 800.207.9509 | www.rplighting.com

Specifications and dimensions subject to change without notice.

8202HA Series

120V-60Hz

LED Trim Ordering Information

ORDERING GUIDE

Example: 8722WH-90-4K

Model #	Finish	CRI	CCT
	8722	WH	-90
	8722	WH : White	-90 : 90 CRI
4" Baffle with Lens 10W 650 lms			-4K : 4000K

Limited quantities; check with factory

ORDERING GUIDE

Example: 8723WH-90-3K

Model #	Finish	CRI	CCT
	8723	WH	-90
	8723	WH : White	-90 : 90 CRI
4" Baffle with Lens 9W 572 lms			-3K : 3000K

ORDERING GUIDE


Example: 8763WH-90-3K

Model #	Finish	CRI	CCT
	8763		-90
	8763	BK : Black BN : Brushed Nickel CL : Clear OB : Oil Rubbed Bronze WH : White	-90 : 90 CRI
4" Reflector 10W 600 lms			-3K : 3000K -4K : 4000K

* BK finish only available in -4K

ORDERING GUIDE


Example: 8769WH-80-3K

Model #	Finish	CRI	CCT
	8769		-3K
	8769	WH : White BK : Black* OB : Oil Rubbed Bronze* BA : Brushed Aluminum	-80 : 80 CRI (889 lms) -90 : 90 CRI (710 lms)
4" Baffle with Lens 10W			-3K : 3000K

* - Only available in -80 CRI

ORDERING GUIDE


Example: 8770CL-90-3K

Model #	Finish	CRI	CCT
	8770	CL	-3K
	8770	CL : Clear	-80 : 80 CRI* -90 : 90 CRI
4" Clear Reflector 10W 710 lms			-3K : 3000K

* Limited quantities; check with factory

ORDERING GUIDE

Example: 8766BA

Model #	Finish
	8766
	8766
4" Baffle 10W 900 lms 3000K 90 CRI	

Limited quantities; check with factory

TEL: 800.937.6925 | Fax: 800.207.9509 | www.rplighting.com

Specifications and dimensions subject to change without notice.

6/13/22 R4


8202HA Series

120V-60Hz

LED Trim Ordering Information

ORDERING GUIDE

Example: 8761BN-90-3K

Model #	Finish	CRI	CCT
 8761 4" Square Baffle 9W 630 lms		-90	-3K
	BN : Brushed Nickel OB : Oil Rubbed Bronze	-90 : 90 CRI	-3K : 3000K

Limited quantities; check with factory


ORDERING GUIDE

Example: 8773WH-90-3K

Model #	Finish	CRI	CCT
 8773 4" Square Baffle 11W 700 lms		-90	
	BN : Brushed Nickel OB : Oil Rubbed Bronze WH : White	-90 : 90 CRI	-3K : 3000K -4K : 4000K

ORDERING GUIDE


Example: 8765BN

Model #	Finish
 8765 4" Eyeball 8W 600 lms 3000K 90 CRI	
	BN : Brushed Nickel OB : Oil Rubbed Bronze WH : White

Limited quantities; check with factory

ORDERING GUIDE


Example: 8768WH

Model #	Finish
 8768 4" Eyeball 10W 900 lms 3000K 90 CRI	
	BN : Brushed Nickel OB : Oil Rubbed Bronze WH : White

Limited quantities; check with factory

ORDERING GUIDE


Example: 8753-30-BN

Model #	Finish
 8753-30- 8753-30- 4" Gimbal 9W 520 lms 3000K 80 CRI	
	BN : Brushed Nickel OB : Oil Rubbed Bronze

Limited quantities; check with factory

ORDERING GUIDE

Example: 8764BN

Model #	Finish
 8764 4" Gimbal 8W 600 lms 3000K 90 CRI	
	BN : Brushed Nickel OB : Oil Rubbed Bronze

Limited quantities; check with factory

TEL: 800.937.6925 | Fax: 800.207.9509 | www.rplighting.com

Specifications and dimensions subject to change without notice.

6/13/22 R4

8202HA Series

120V-60Hz

LED Trim Ordering Information

ORDERING GUIDE

Example: 8771WH-90-4K

Model #	Finish	CRI	CCT
	8771	-90	
	8771 4" Gimbal 10W 717 lms BN : Brushed Nickel * OB : Oil Rubbed Bronze * WH : White **	-90 : 90 CRI	-3K : 3000K -4K : 4000K


Limited quantities; check with factory

* only available in -3K

** only available in -4K

ORDERING GUIDE

Example: 8767OB

Model #	Finish
	8767
	8767 4" Gimbal 10W 900 lms 3000K 90 CRI OB : Oil Rubbed Bronze

Limited quantities; check with factory

ORDERING GUIDE

Example: 8756WH-90-3K-R

Model #	Finish	CRI	CCT	Retrofit
	8739	-90		-R
	8739 4" Low Profile Disk 12W 722 lms BK : Black BN : Brushed Nickel WH : White	-90 : 90 CRI	-3K : 3000K	-R

ORDERING GUIDE


Example: 8756WH-90-3K

Model #	Finish	CRI	CCT	Retrofit
	8756	-90	-3K	-R
	8756 4" Low Profile Disk 12W 710 lms WH : White BK : Black OB : Oil Rubbed Bronze BN : Brushed Nickel	-90 : 90 CRI	-3K : 3000K	-R

Incandescent Trim Ordering Information (lamp not included)

ORDERING GUIDE

Example: 8701WH

Model #	Finish
	8701
	8701 White Baffle 50W Max. PAR20/R20 WH : White

ORDERING GUIDE

Example: 8702FS

Model #	Finish
	8702
	8702 Fresnel Shower Trim 35W Max. PAR20/R20 FS : Fresnel

TEL: 800.937.6925 | Fax: 800.207.9509 | www.rplighting.com

Specifications and dimensions subject to change without notice.

6/13/22 R4